
repo-helper-rtd

Release 0.1.1

Manage ReadTheDocs documentation with repo-helper.

Dominic Davis-Foster

May 15, 2024

Contents

1	Installation	1
1.1	from PyPI	1
1.2	from GitHub	1
2	Usage	3
2.1	repo-helper rtd	3
3	Public API	5
3.1	ReadTheDocsManager	5
4	Downloading source code	7
4.1	Building from source	8
5	License	9
	Python Module Index	11
	Index	13

Installation

1.1 from PyPI

```
$ python3 -m pip install repo_helper_rtd --user
```

1.2 from GitHub

```
$ python3 -m pip install git+https://github.com/repo-helper/repo_helper_rtd@master --user
```


Usage

2.1 repo-helper rtd

Manage a ReadTheDocs project.

```
repo-helper rtd [OPTIONS] COMMAND [ARGS]...
```

Options

--version
Show the version and exit.

2.1.1 Commands

new

Create a new ReadTheDocs project.

```
repo-helper rtd new [OPTIONS]
```

Options

-t, --token <token>
Required The token to authenticate with the ReadTheDocs API. Can also be provided via the 'RTD_TOKEN' environment variable.

--colour, --no-colour
Whether to use coloured output.

Environment variables

RTD_TOKEN
Provides a default for *-t* / *--token*

update

Update the ReadTheDocs project.

```
repo-helper rtd update [OPTIONS]
```

Options

-t, --token <token>

Required The token to authenticate with the ReadTheDocs API. Can also be provided via the 'RTD_TOKEN' environment variable.

--colour, --no-colour

Whether to use coloured output.

Environment variables

RTD_TOKEN

Provides a default for *-t* / *--token*

Public API

Manage ReadTheDocs documentation with `repo-helper`.

Classes:

<code>ReadTheDocsManager(token, target_repo[, ...])</code>	Subclass of <code>repo_helper.core.RepoHelper</code> with additional functions to update ReadTheDocs projects.
--	--

class ReadTheDocsManager (*token, target_repo, managed_message="This file is managed by 'repo_helper'. Don't edit it directly.", *, colour=True*)

Bases: `RepoHelper`

Subclass of `repo_helper.core.RepoHelper` with additional functions to update ReadTheDocs projects.

Parameters

- **token** (`str`) – The token to authenticate with the ReadTheDocs API.
- **target_repo** (`Union[str, Path, PathLike]`) – The path to the root of the repository to manage files for.
- **managed_message** – Message placed at the top of files to indicate that they are managed by `repo_helper`. Default "This file is managed by 'repo_helper'. Don't edit it directly.".
- **colour** (`Optional[bool]`) – Whether to use coloured output. Default `True`.

Changed in version 0.2.3: Added the `verbose` and `colour` options.

Attributes:

<code>colour</code>	Whether to use coloured output.
---------------------	---------------------------------

Methods:

<code>get_update_json()</code>	Returns the body JSON used to update the project.
<code>new()</code>	Import this project into ReadTheDocs.
<code>update()</code>	Update this project on ReadTheDocs.

`colour`

Type: `Optional[bool]`

Whether to use coloured output.

get_update_json()

Returns the body JSON used to update the project.

Return type `Dict[str, Union[Dict[str, str], str]]`

new()

Import this project into ReadTheDocs.

Return type `Response`

update()

Update this project on ReadTheDocs.

Return type `Response`

Downloading source code

The `repo_helper_rtd` source code is available on GitHub, and can be accessed from the following URL: https://github.com/repo-helper/repo_helper_rtd

If you have `git` installed, you can clone the repository with the following command:

```
$ git clone https://github.com/repo-helper/repo_helper_rtd
```

```
Cloning into 'repo_helper_rtd'...
remote: Enumerating objects: 47, done.
remote: Counting objects: 100% (47/47), done.
remote: Compressing objects: 100% (41/41), done.
remote: Total 173 (delta 16), reused 17 (delta 6), pack-reused 126
Receiving objects: 100% (173/173), 126.56 KiB | 678.00 KiB/s, done.
Resolving deltas: 100% (66/66), done.
```

Alternatively, the code can be downloaded in a 'zip' file by clicking:

Clone or download → Download Zip




Fig. 1: Downloading a 'zip' file of the source code

4.1 Building from source

The recommended way to build `repo_helper_rtd` is to use `tox`:

```
$ tox -e build
```

The source and wheel distributions will be in the directory `dist`.

If you wish, you may also use `pep517.build` or another **PEP 517**-compatible build tool.

License

repo_helper_rtd is licensed under the [MIT License](#)

A short and simple permissive license with conditions only requiring preservation of copyright and license notices. Licensed works, modifications, and larger works may be distributed under different terms and without source code.

Permissions

- Commercial use – The licensed material and derivatives may be used for commercial purposes.
- Modification – The licensed material may be modified.
- Distribution – The licensed material may be distributed.
- Private use – The licensed material may be used and modified in private.

Conditions

- License and copyright notice – A copy of the license and copyright notice must be included with the licensed material.

Limitations

- Liability – This license includes a limitation of liability.
- Warranty – This license explicitly states that it does NOT provide any warranty.

[See more information on choosealicense.com](#) ⇒

```
Copyright (c) 2020 Dominic Davis-Foster
```

```
Permission is hereby granted, free of charge, to any person obtaining a copy  
of this software and associated documentation files (the "Software"), to deal  
in the Software without restriction, including without limitation the rights  
to use, copy, modify, merge, publish, distribute, sublicense, and/or sell  
copies of the Software, and to permit persons to whom the Software is  
furnished to do so, subject to the following conditions:
```

```
The above copyright notice and this permission notice shall be included in all  
copies or substantial portions of the Software.
```

```
THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,  
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF  
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.  
IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM,  
DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR  
OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE  
OR OTHER DEALINGS IN THE SOFTWARE.
```


Python Module Index

r

`repo_helper_rtd`, 5

Symbols

`--colour`
 `repo-helper-rtd-new` command line option, 3
 `repo-helper-rtd-update` command line option, 4
`--no-colour`
 `repo-helper-rtd-new` command line option, 3
 `repo-helper-rtd-update` command line option, 4
`--token <token>`
 `repo-helper-rtd-new` command line option, 3
 `repo-helper-rtd-update` command line option, 4
`--version`
 `repo-helper-rtd` command line option, 3
`-t`
 `repo-helper-rtd-new` command line option, 3
 `repo-helper-rtd-update` command line option, 4

C

`colour` (*ReadTheDocsManager* attribute), 5

G

`get_update_json()` (*ReadTheDocsManager* method), 5

M

MIT License, 9
 module
 `repo_helper_rtd`, 5

N

`new()` (*ReadTheDocsManager* method), 6

P

Python Enhancement Proposals
 PEP 517, 8

R

`ReadTheDocsManager` (*class in repo_helper_rtd*), 5
`repo_helper_rtd`
 module, 5
`repo-helper-rtd` command line option
 `--version`, 3
`repo-helper-rtd-new` command line option
 `--colour`, 3
 `--no-colour`, 3
 `--token <token>`, 3
 `-t`, 3
`repo-helper-rtd-update` command line option
 `--colour`, 4
 `--no-colour`, 4
 `--token <token>`, 4
 `-t`, 4

U

`update()` (*ReadTheDocsManager* method), 6